



minois Environmental Protection Agency 2200 Churchill Road, Springfield, IL 62706

217/782-6762

1985-111

Refer to:

1631210009 -- St. Clair County

Sauget/TWI

Permit No. 1983-10-0P Log No. 1985-111

November 28, 1983 Revised September 12, 1985

Trade Waste Incineration
Division of Chemical Waste Management, Inc. #7 Mobile Avenue
Sauget, Illinois 62201-1069

Gentlemen:

Enclosed is the revised Operating Permit No. 1983-10-0P from the Division of Land Pollution Control. This revision reflects the modification indicated below and incorporated by reference in the revised permit.

Approval to transfer wastes to the SCA incinerator in accordance with the application and the following procedures:

- . Receive wastes in steel drums and/or tank trucks,
- . Handle the wastes in accordance with the existing operating permit at TWI (ie, decant and blend operations),
- . Repackage wastes into containers and/or tank truck loads which meet the requirements of the SCA incinerator's operating permit,
- . Transfer the repackaged wastes to the SCA incinerator (0316000058).

Permit conditions 33, 34, 35, and 36 have been added for this operation.

Very truly yours.

Lawrence W. Eastep, F.E., Manager

Permit Section

Division of Land Pollution Control

LWE: WRW: jab/1968E/12

WIT W Enclosure

cc: Division File Southern Region



217/782-6762

Refer to: 1631210009 -- St. Clair County

Sauget/TWI

Permit No. 1983-10-0P Log Number: 1985-111

November 28, 1983

Revised September 12, 1985

Trade Waste Incineration Division of Chemical Waste Management, Inc. #7 Mobile Avenue Sauget, Illinois 62201-1069

Gentlemen:

Permit is hereby granted to Trade Waste Incineration, a Division of Chemical Waste Management, Inc., to operate a solid waste management site to store hazardous and non-hazardous special waste in drums, store hazardous and non-hazardous special waste in tanks, and incinerate hazardous and non-hazardous special waste, said site generally described as 33.795 acres in Township 2 North, Range 10 West, Third Principle Meridian, more specifically described in Attachment A incorporated herein by reference, all in accordance with the application and plans prepared by Michael Rapps, P.E., and referenced in the development permit, and the application and plans referenced below:

- Operating application and plans dated August 17, 1983 and received August 25, 1983;
- Operating application and plans dated September 28, 1983 and received October 3, 1983:
- c. Procedure for managing incompatible wastes in drums and revised drum storage area inspection sheet dated October 19, 1983 and received October 20, 1983;
- Revised procedure for the management of incompatible wastes in drums dated October 28, 1983 and received October 31, 1983;
- Revised procedure for the management of incompatible wastes in drums dated November 4, 1983 and received November 7, 1983;
- Request for extension of the review period until November 30, 1983 dated November 14, 1983 and received November 15, 1983;
- Application and plans of the thick liquids feeder dated February 13, 1984 and received February 15, 1984;

Permit is also granted for the construction and operation of a drum crusher all in accordance with the application and plans prepared by Trade Waste Incineration and referenced below:

- a. Applications dated January 20, 25, 27 and February 2, 1984 and received by this Agency on January 24, 25, 27 and February 3, 1984 respectively.
- b. Application and plans dated February 10, 1984 and received February 14, 1984.

Permit is also granted for the construction of a shred pax shredder model AZ-7 all in accordance with the application and plans prepared by Trade Waste Incineration and referenced below.

- a. Application and plans dated June 5, 1984 and received by this Agency June 6, 1984.
- Revised plans dated July 30, 1984 and received by this Agency July 31. b.

Permit is also granted for the facility to delete hourly stack plume observations and reporting from the operating requirements and to operate according to the revised waste analysis, personnel training, and closure plans all in accordance with the application and plans prepared by Trade Waste Incineration and referenced below.

- a. Application dated July 31, 1984 and received August 1, 1984.
- b. Supplemental information dated August 3, 1984 and August 17, 1984 and received August 6, 1984 and August 20, 1984 respectively.
- c. Revised waste analysis and closure plans dated May 23, 1984 and received May 24, 1984.
- Revised personnel training plan dated July 11, 1984 and received July 16, 1984.

Permit is also granted for the construction and testing of incinerators No. 2 and No. 3 all in accordance with the application prepared by Trade Waste Incineration and referenced below:

- a. Application dated May 16, 1984 and received May 17, 1984.
- b. A 90-day waiver dated August 15, 1984 and received August 16, 1984.
- c. A second 90-day waiver dated October 23, 1984 and received October 24, 1984.

Permit is also granted for the transfer of wastes to the SCA incinerator in Chicago, Illinois (0316000058), all in accordance with the application prepared by Trade Waste Incineration and referenced below:

a. Applications dated June 11, 1985 and July 30, 1985, and received June 14, 1985 and August 2, 1985 respectively.

The permit is issued subject to the standard conditions attached hereto and incorporated herein by reference, and further subject to the following special conditions:

- 1. This facility shall be developed and operated in accordance with 35 Ill. Adm. Code, Subtitle C and G. In the event that the development or operating plan submitted with the application differs from the terms and conditions of this permit, the terms and conditions of this permit shall apply.
- 2. This permit allows operation of the existing equipment as described in the material referenced above. Any modification to the facility, or types or classes of wastes shall be the subject of an application for supplemental permit for site modification submitted to this Agency.
- The owner or operator must keep a written operating record at the facility. The following information must be recorded as it becomes available and maintained in the operating record until closure of the facility:
 - A description and the quantity of each hazardous waste received and the method(s) and date(s) of its treatment, storage or disposal at the facility:
 - The location of each hazardous waste within the facility, and the b. quantity at each location;
 - Records and results of waste analysis and trial tests; C.
 - Summary reports and details of all incidents that require implementation of the contingency plan:
 - Records and results of inspections (inspection records and results e. need be kept only three years).
- Incompatible wastes in drums shall not be stored in the same storage shelter at the same time.
- 5. Incompatible wastes in containers shall be segregated in accordance with the I.D.O.T. labels on them. These labels shall be clearly visible during storage. An I.D.O.T. chart describing wastes which are incompatible with each other shall be displayed in the drum storage area.

- 6. All wastes received shall only be stored in permitted storage areas.
- 7. All incoming special wastes must be accompanied by a manifest. For wastes that are going to be incinerated, the following authorization numbers shall be used for the wastes indicated below:
 - . 090001 Hazardous Waste
 - 090002 Non-hazardous Special Waste
 - . 090003 Hazardous Hospital Waste
- 8. The drum storage capacity of the facility shall be limited to 2000 drums.
- 9. The tank storage capacity of the facility shall be limited to a capacity of 124,535 gallons and shall be operated at no more than 90% of that volume, or 112,080 gallons. This estimate includes the four blend tanks and the nine isolation tanks.
- 10. The use and management of containers to store hazardous waste shall be in compliance with 35 Ill. Adm. Code 725.270 to 725.277. Adequate aisle space shall be maintained to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment and decontamination equipment to any area of the facility operation in an emergency. At a minimum these requirements shall be in conformance with State Fire Marshall recommendations.
- 11. The use and management of the tanks to store hazardous waste shall be in compliance with 35 Ill. Adm. Code 725.290-725.298.
- 12. The use and management of the incinerator to process hazardous waste shall be in compliance with 35 III. Adm. Code 725.440-725.451.
- 13. All loading/unloading of special wastes shall be accomplished over spill containment devices.
- 14. Wastes that are transferred into drums at the facility shall only be transferred into new drums or empty drums that previously held a compatible waste.
- 15. Hospital waste shall be incinerated immediately upon receipt or as soon as possible within 10 days.
- 16. All containers that held an acute hazardous waste as identified in Section 721.133(c) of Title 35: Subtitle G: Waste Disposal, shall be incinerated after the waste is removed or disposal of using the Agency's special waste stream system.
- 17. All waste fed to incinerator No. 1 shall be in compliance with the terms and conditions of Permit No. 83080072 issued by this Agency's Division of Air Pollution Control.

- 18. The discharge of any potentially contaminated storm water run-off, hazardous waste spills or process waters other than venturi scrubber wastewater into the Village of Sauget STP shall be in compliance with 35 Ill. Adm. Code: Subtitle C.
- 19. All incoming wastes shall be analyzed in accordance with the waste analysis plan submitted with the application. Records and results of these anlyses shall be kept in the operating record.
- 20. Inspections of the tanks, drum storage facility, incinerator, safety and emergency equipment, and other associated equipment shall be carried out in accordance with the schedule contained in the application. Records of all inspections shall be kept in the operating record.
- 21. Special wastes generated at the site and disposed or further treated elsewhere shall be transported to the receiving facility utilizing the Agency's supplemental permit and manifest systems.
- 22. The closure cost estimate must be periodically updated in accordance with 35 Ill. Adm. Code 725.242 to reflect the following:
 - a. Any change in the closure plan which affects the cost of closure: or
 - b. Any change in the closure cost estimate as a result of inflation, as required by 35 Ill. Adm. Code 725.242.

The instrument used for financial assurance must be updated periodically as required by 35 Ill. Adm. Code 725.243 to reflect changes in the current closure cost estimate.

- 23. The Permittee shall prepare and submit a single copy of an annual report to the Director of this Agency by March 1 of each year, covering facility activities of the previous calendar year. The Agency will supply the necessary forms.
- 24. Permittee shall notify the Agency of any changes from the information submitted to the Agency in its application for a developmental and operating permit for this site. Permittee shall notify the Agency of any changes in the names or addresses of both beneficial and legal titleholders to the herein-permitted site. Such notification shall be made in writing within fifteen (15) days of such change and shall include the name or names of any parties in interest and the address of their place of adobe; or, if a corporation, the name and address of its registered agent.
- 25. This permit is subject to review and modification by the Agency as deemed necessary to fulfill the intent and purpose of the Environmental Protection Act, and all applicable environmental rules and regulations.

- 26. The Agency reserves the right to require installation of additional monitoring devices, to alter the selection of parameters to be analyzed and to alter monitoring frequencies as may be necessary to fulfill the intent of the Environmental Protection Act.
- 27. Nothing in this permit shall be construed as relieving the permittee of the responsibility of complying with other local, state or federal rules or regulations regarding this facility.
- 28. All drums that are to be crushed shall be empty according to RCRA definitions.
- 29. Drums that contained a hazardous waste identified in Section 721.133(c) (P listed waste), shall be incinerated prior to being crushed in this unit.
- 30. The drum crusher shall be operated and stored in an area that has a secondary containment system.
- 31. All crushed drums shall be transported to a permitted hazardous waste management facility utilizing the Agency's supplemental permit and manifest systems.
- 32. All waste fed to incinerators No. 2 and No. 3 shall be in compliance with the terms and conditions of Permit No. 83120053 issued by this Agency's Division of Air Pollution Control.
- 33. The transfer wastes to the SCA incinerator shall be in accordance with the application referenced above and the following procedures:
 - Receive wastes in steel drums and/or tank trucks.
 - Handle the wastes in accordance with the existing operating permit at
 - TWI (i.e., decant and blend operations),
 Repackage wastes into containers and/or tank truck loads which meet the requirements of the SCA incinerator operating permit.
 - Transfer the repackaged wastes to the SCA incinerator (0316000058).
- 34. All shipments of wastes of the SCA incinerator (0316000058) shall list TWI as the generator.
- 35. For all wastes shipped to the SCA incinerator, the following authorization numbers shall be used for the wastes indicated below:
 - 090004 hazardous waste .
 - 090005 non-hazardous special waste

36. The permittee shall comply with Ill. Rev. Stat., 1980, Sec. 1022.2(b), as amended from time to time, and with the procedures adopted by the Agency in furtherance of such statutory provision and as set forth in a document entitled "Procedures for Operation of a Hazardous Waste Disposal Fee System," as published in 4 Illinois Register 774 (September 12, 1980).

Very truly yours,

lawrence W. Eastep, P.E., Minager

Permit Section

Division of Land Pollution Control

LWE: WRW: bjh/sp/1644D/1,6

wpw

cc: Southern Region

Compliance Monitoring Section

Division File

REQUEST FOR COMMENTS ON A PENDING PERMIT APPLICATION

To: Track H (Regional Manager or Compliance Monitoring) (Region)	
From:,, Permit (Reviewer) (Unit)	Section
Facility No. 1637516609 County St Cair	
City Facility Name	
The Permit Section received on an application/addition (Date) information to modify/develop/operate for the above site. A copy of this information is attached/available for your re Your comments regarding the groundwater monitoring inadequacies, design, operation	view.
any pending violations are requested. Please submit your comments by $7-/4-$. If not received within the time specified, we would assume that you do not have any problems or concerns.	<u> </u>
COMMENTS:	
	•
	
Due Teaure of Denie 2. Meeting recorded on	
Pre-Issuance/Denial Meeting requested on (less than 60 days from receipt, OP < 40) days)
(Date) (Time a.m. or p.m.)	
In Attendance Permit Section	
Posults of Meeting.	
Results of meeting.	
	
Attachment	

いったのと

IL 532-1014 LPC 114 (Rev. 2/83)

2/8 6.2AK: OK GPY of FINAR LETTENS (32/10032) Limbed od: 3007 8/8 3 NOSA MICO 14532M >/ 5. WILL THE BUCKING / DECAMBED ? 5 (SCHAMBED) 53/4121241 DEQMENTS FOR OTHER S/TYPERT CONTHINETES MACKETABLE 78 SCAS PLFI INTO BUCK TANKS/TANK TIMCKS OR 3947437 Sunda 41 531540 3A13037 FOR INCINERATION 405 01 SZLSHM By 2413 OF KLIDIONET JOSEPHULLY 3940 ets . H SH 1001 901/54 100 Hose cook cook Mest Jou WILETN SWEET CUM APRIL JOHN SWEET CUM MMD

W & 7500 S

THE OPERATION AT TOUT APPEARS
TO MEET THE DEFINITION OF TREATMENT
PER 725, 720,110

8/17 JIM COBB APC 5/13 WASTES ACCEPTABLE @ 81. TWI WOULD ALSO BE ACCEPTABLE @ SCA (SAME INCINERABILITY INDEX, etc.) ROB WATSON VILLER SWEET CWM
JIM GARY TWI

PROPOSAL TO BRING W WASTES TO

TWI BEACH (ONLY WASTES ACCEPTABLE

TO TWI WILL BE RECEIVED, 12 NO PCBS >50 PPM)

3) CHEMICAL TREATMENT

27iCl3 + 3420 -> Ti203 + 6ACl

HYPROLISIS

TRICHLORIDE

Ti203+202 -> 27,02 HCR + MROH -> NeCR + H20

CWM FUEC PROGRAM

- 1. PECOVERY
- 2. FUECS
- 3. INCINERATION

大くない es system -RANSFER DACK. ひなかし OF WASTER ROSELLE - HAZ. WAS PE 400 -s 861 CRATOR MCILCRATE Meseriale W. Sweet J. C. 6 Pob Water THEFOS (No Fee?

.....

courds of each site table us-T しまるナン Manifest, ALL FLESS TO BE FAID. TWI Gundor to BE INCINERATOR (B) S.25 7.007 となる C#60

or 2. By wolffichin

Juniting Permit

By letter agreewest

approved; either:

Proposal tobe

(4,1614 reaction wark - Straff, Chan) 2 1: (13 + 3 Hz 0 -> 7,203 THORICAL TREATMENT Toute Tiz Q + 402 - 27102 (catalest in hist purity but of sourc.) + 6 HC1 Hydrolysis Neutralization Oxidation

during attrim status Equipment to phase into

HCI + Na OH - Na Ci T

U Z O

appearent Option:

YOSS R MEGEN: Sup. IGAUIT to MODIFY SITE DEMENDAMENT/ OI

APROPS ADDITION OF THIS OPERATION TO THEIR THAT A. ismical Waste Management, Inc.

7 Mobile Avenue Sauget, Illinois 62201-1069 (618) 271-2804

June 11, 1985

Illinois Environmental Protection Agency Division of Land Pollution Control 2200 Churchill Road Springfield, Illinois 62706

Att: Rob Watson

Permit Section

Re: Trade Waste Incineration Division

Chemical Waste Management, Inc.

I. D. No. 163121 AAP

Operating Permit No. 1983-10-OP

Dear Mr. Watson:

This letter is to inform you of additional waste handling procedures which are planned for operations at the T.W.I. facility in Sauget. Although the new procedures appear to fall within T.W.I.'s existing operating permit, we request your concurrence or issuance of a supplemental operating permit.

To further improve waste management services to our customers, T.W.I. plans to unload certain liquid and solid materials from drums for transfer to another off-site incineration facility. For the most part, the wastes will be of two types: 1) those which can not presently be processed at T.W.I. (e.g., high chlorine, high ash liquids), or 2) solid wastes in steel drums which can be more effectively repackaged at T.W.I. in fiber or plastic containers for direct incineration at the off-site facility.

The procedure for unloading liquid waste from drums for transhipment to offsite facilities will take place inside the existing, contained drum workup area and will consist of pumping (decanting) the contents of drums
directly to tank trucks or pumping drums to the T.W.I. isolation tank
farm(which is done presently on a routine basis) then transferring from
isolation tanks to tank trucks. In either operation the same loading point
from the west side of the T.W.I. tankfarm will be used. A containment area
outside the west dike wall of the tankfarm, (approximately 25' X 10' X 0.5')
will be utilized for potential spill containment.

In the first case, pumping directly from drums to tank truck, the following procedure will be followed:

RECEIVED

JUN 14 1985

IEPA-DLPC

005519

June 11, 1985
Page 2

 \bigcirc

 \mathcal{O}

<u>5</u>

- 1) A tanker will be positioned on the west side of the tankfarm, parallel to the west tankfarm wall. The rear end of the tankfir will be positioned 3 to 5 feet from the covered underground concrete pipe trench, wheels will be chocked.
- 2) A 10-gallon, stainless steel drip pan will be placed under the inlet attachment fitting to the tank truck.
- 3) A 2-inch chemical duty hose will be connected between the tank truck and tankfarm manifold header.
- 4) Valving will be arranged to allow pumping from drum decant facility pumps through the manifold header to the tanker truck. Valves directly after the drum decant pump will be used and the valve at the exit of the mainfold header to the hose connecting to the tank truck will only be opened when actual pumping is occurring.
- 6) After the last drum is pumped to the tank truck, the content of the pipes being used in the transfer operation will be drained into the tanker.
- 7) After draining lines, valves will be readjusted to standard tankfarm configuration (all valves closed).

In the second case, pumping materials from drums to isclation tanks, then from isolation tank to tank truck, the procedure will be very similar to the first case. The same set-up procedure will be used except the valving on the manifold header will be set to allow pumping from the isolation tank to tank truck using the corresponding high volume tankfarm transfer pump. The transfer hose from the isolation tank will be located inside the tank farm containment area. Prevention of spills will be accomplished to using equipment in ment area. Prevention of spills will be accomplished to the pipe trench.

All T.W.I. safety equipment (i.e. - fire extinguisher, pill clean-up absorbents, portable air driven pumps, hoses, etc.) is size and procedures work area for use at any time if needed. All existing force during the established by T.W.I. for drum decanting will be in force during the transfer operation.

Solid wastes in drums will be unloaded and moved to drum work-up area using standard T.W.I. operating procedures. Wastes interested drums and put incineration will be manually removed from 55-gallon which aimers, most often into incinerable fiber or plastic U.S. DOT-approved incinerable fiber or plastic U.

The containers will be closed, sealed and properly the production load—
They will then be moved from the drum work-up area the truck loading ing dock or directly to a waiting, licensed carrier to the truck loading well.

_nois Environmental Protection Agency June 11, 1985 Page 3

All operations will be conducted according to current DLPC operating permit conditions and will be carefully monitored by T.W.I. supervisory personnel through T.W.I. daily site inspections. Both operations and paperwork will be monitored by the Chemical Waste Management Environmental Compliance Officer assigned to the T.W.I. facility.

Liquid and solid wastes shipped to off-site incineration will be properly labelled and manifested to comply with all applicable Illinois and federal regulations. Empty containers will be disposed of according to current permitted procedures, i.e., recycled at a permitted drum reclamation facility, crushed and/or disposed of at a permitted hazardous waste management facility, using The Agency's supplemental permit and manifest system.

If you would like any additional information or clarification regarding the above, please contact me or the facility General Manager, Mr. Jim Gary.

Sincerely,

Wileen E. Sweet

District Environmental Engineer

Wileen E. Sweet

WES: jh

cc: Jim Gary

Andy Flanagan

Doug Cook

Dennis Romankowski